



16A-1

ঢাকা পানি সরবরাহ ও পয়ঃ নিষ্কাশন কর্তৃপক্ষ
ব্যবস্থাপনা পরিচালকের কার্যালয়
জনতথ্য বিভাগ, ঢাকা ওয়াসা
৯৮, কাজী নজরুল ইসলাম এভিনিউ, ঢাকা-১২১৫



উন্নয়নের গণতন্ত্র
শেখ হাসিনার মূলমন্ত্র

স্মারক নং-৪৬.১১৩.১০৩.০০.০০.০৫০.২০১৫/৭৩৮জ:ত:

তারিখ: ০৩/০৯/২০২৩

বরাবর

তত্ত্বাবধায়ক প্রকৌশলী/প্রকল্প পরিচালক/নির্বাহী প্রকৌশলী

MODS Zone-0৪,

ঢাকা ওয়াসা।

বিষয় : টেন্ডার/ডিসপ্লো/বিজ্ঞপ্তি/ বিজ্ঞাপনের মূল পেপার কাটিং/ফটোকপি প্রেরণ প্রসঙ্গে।

পত্রিকায় প্রকাশের নিমিত্ত আপনার বিভাগ হতে জনতথ্য বিভাগে প্রেরিত টেন্ডার/বিজ্ঞপ্তি সমূহের মূল পেপার কাটিং/ফটোকপি সদয় অবগতি ও প্রয়োজনীয় কার্যার্থে এতদসঙ্গে প্রেরণ করা হ'ল। পত্রিকার নাম, প্রকাশের তারিখ ও বিজ্ঞপ্তির নম্বর নিম্নরূপঃ

ক্রঃনং	পত্রিকার নাম	বিজ্ঞপ্তি প্রকাশের তারিখ	বিজ্ঞপ্তি নম্বর
১।	The Financial Express	০২.০৯.২০২৩	২৭০/২৩
২।	দৈনিক আমাদের সময়	০১.০৯.২০২৩	"
৩।	দৈনিক সংবাদ	০১.০৯.২০২৩	"

সংযুক্তি : বর্ণনামতে।


০৩/০৯/২০২৩

এ. এম. মোস্তফা তারেক
উপ-প্রধান জনতথ্য কর্মকর্তা
ঢাকা ওয়াসা।

ঢাকা পানি সরবরাহ ও পয়ঃ নিষ্কাশন কর্তৃপক্ষ

Office of the Executive Engineer
MODS Zone-8, Dhaka WASA

Natun Bazar Buster Pump Compound, Baridhara J-Block, Dhaka.
(Phone-8834239,8833719)



শেখ হাসিনার মূলনীতি
গ্রাম শহরের উন্নতি

Ref. No.: 46.113.413.00.00.000.2023.147

Date: 31-08-2023

e-Tender Notice

The undersigned is inviting Tender from the eligible tenderers for the following works.

Sl. No.	Tender ID.	Name of the Tender	Procurement Method	Tender Publication Date & Time	Tender Opening Date & Time
1	867314	Locating & Raising of different diameter sluice valve chamber at DMA-804 under MODS Zone-8, Dhaka WASA	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:00:00
2	867444	Different Diameter of water Line Leakage detection and repairing at DMA-804 under MODS zone-8, Dhaka WASA	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:00:00
3	867704	Locating & Raising of different diameter sluice valve chamber at DMA-810 under MODS Zone-8, Dhaka WASA	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:05:00
4	867818	Locating & Raising of different diameter sluice valve chamber at DMA-802 under MODS Zone-8, Dhaka WASA	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:05:00
5	867825	Different diameter of water line leakage detection and repairing at DMA-802 under MODS Zone-8, Dhaka WASA	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:10:00
6	867834	Repair and Maintenance works of Different Diameter S/V in the water network at DMA-804 under MODS Zone-8, Dhaka WASA	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:10:00
7	867835	Locating & Raising of different diameter sluice valve chamber at DMA-801 under MODS Zone-8, Dhaka Wasa.(Group-1)	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:15:00
8	867843	Dirty water removing& water network cleaning at DMA-803 & 808 under MODS zone-8, Dhaka WASA.	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:15:00
9	867879	Location & Raising of Different Diameter Sluice Valve chamber at DMA-808 under MODS zone-8 of Dhaka WASA.	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:20:00
10	867888	Locating & Raising of different diameter sluice valve chamber at DMA-806 under MODS Zone-8, Dhaka WASA	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:20:00
11	867911	Repair and Maintenance works of Different Diameter S/V in the water network at DMA-806 under MODS Zone-8, Dhaka WASA	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:25:00
12	867979	Different diameter of water line leakage detection and repairing at DMA-805 under MODS Zone-8, Dhaka WASA	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:25:00
13	868015	Repair & Maintenance works of different diameter S/V in the water network at DMA-801 under MODS zone-8, Dhaka Wasa	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:30:00

This is an online tender, where only e-Tender will be accepted in e-GP portal and no offline/hard copy will be accepted. To submit e-tender, registration on e-GP systems portal (<http://www.eprocure.gov.bd>) is required. The fees for downloading the e-tender documents from the National e-GP system portal have to be deposited online any branches of registered bank. Further information and guidelines are available in the National e-GP system portal and from e-GP help desk (helpdesk@eprocure.gov.bd).

ওয়াসা-জ:ত:-২৭০/২০২৩

Financial Engineer
02/09/2023


(Anupom Kumar Mondol)
Executive Engineer (CC),
MODS Zone-8, Dhaka WASA.

GA-3355/23 (9x4)

ঢাকা পানি সরবরাহ ও পয়ঃ নিষ্কাশন কর্তৃপক্ষ

Office of the Executive Engineer
MODS Zone-8, Dhaka WASA

Natun Bazar Buster Pump Compound, Baridhara J-Block, Dhaka.
(Phone-8834239,8833719)



Date: 31-08-2023

Ref. No.: 46.113.413.00.00.000.2023.147

e-Tender Notice

The undersigned is inviting Tender from the eligible tenderers for the following works.

Sl. No.	Tender ID.	Name of the Tender	Procurement Method	Tender Publication Date & Time	Tender Opening Date & Time
1	867314	Locating & Raising of different diameter sluice valve chamber at DMA-804 under MODS Zone-8, Dhaka WASA	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:00:00
2	867444	Different Diameter of water Line Leakage detection and repairing at DMA-804 under MODS zone-8, Dhaka WASA	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:00:00
3	867704	Locating & Raising of different diameter sluice valve chamber at DMA-810 under MODS Zone-8, Dhaka WASA	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:05:00
4	867818	Locating & Raising of different diameter sluice valve chamber at DMA-802 under MODS Zone-8, Dhaka WASA	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:05:00
5	867825	Different diameter of water line leakage detection and repairing at DMA-802 under MODS Zone-8, Dhaka WASA	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:10:00
6	867834	Repair and Maintenance works of Different Diameter S/V in the water network at DMA-804 under MODS Zone-8, Dhaka WASA	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:10:00
7	867835	Locating-& Raising of different diameter sluice valve chamber at DMA-801 under MODS Zone-8, Dhaka Wasa (Group-1)	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:15:00
8	867843	Dirty water removing& water network cleaning at DMA-803 & 808 under MODS zone-8, Dhaka WASA.	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:15:00
9	867879	Location & Raising of Different Diameter Sluice Valve chamber at DMA-808 under MODS zone-8 of Dhaka WASA.	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:20:00
10	867888	Locating & Raising of different diameter sluice valve chamber at DMA-806 under MODS Zone-8, Dhaka WASA	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:20:00
11	867911	Repair and Maintenance works of Different Diameter S/V in the water network at DMA-806 under MODS Zone-8. Dhaka WASA	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:25:00
12	867979	Different diameter of water line leakage detection and repairing at DMA-805 under MODS Zone-8, Dhaka WASA	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:25:00
13	868015	Repair & Maintenance works of different diameter S/V in the water network at DMA-801 under MODS zone-8, Dhaka Wasa	LTM(e-GP)	30-Aug-2023 12:00:00	14-Sep-2023 12:30:00

This is an online tender, where only e-Tender will be accepted in e-GP portal and no offline/hard copy will be accepted. To submit e-tender, registration on e-GP systems portal (<http://www.eprocure.gov.bd>) is required. The fees for downloading the e-tender documents from the National e-GP system portal have to be deposited online any branches of registered bank. Further information and guidelines are available in the National e-GP system portal and from e-GP help desk (helpdesk@eprocure.gov.bd).

ওয়াসা-জঃতঃ ২৭০/২০২৩

১২/০৮/২৩

০৮/০৮/২৩

C-1461 (9x4)

(Anupom Kumar Mondol)
Executive Engineer (CC),
MODS Zone-8, Dhaka WASA.

মূলনীতি
উন্নতি

ওয়াসা

ঢাকা পানি সরবরাহ ও পয়ঃ নিষ্কাশন কর্তৃপক্ষ

নির্বাহী প্রকৌশলীর কার্যালয়

মডস জোন-৮, ঢাকা ওয়াসা।

নতুন বাজার বুন্টার পাম্প কম্পাউন্ড, বারিধারা, ঢাকা।

(অভিযোগ টেলিফোন নংঃ ৮৮৩৩৭১৯, অফিস-৮৮৩৪২৩৯)

ই-মেইলঃ modszone8@gmail.com



শেখ হাসিনার মূলনীতি
গ্রাম শহরের উন্নতি

স্মারক নংঃ ৪৬.১১৩.৪১৩.০০.০০০.২০২৩. ২৪৭

তারিখঃ ৩১-০৮-২০২৩

উপ-প্রধান জনতথ্য কর্মকর্তা

ঢাকা ওয়াসা।

বিষয়ঃ ই-টেন্ডার নোটিশ পত্রিকায় প্রকাশ করা প্রসংগে।

উপরোক্ত বিষয়ের প্রেক্ষিতে জানানো যাচ্ছে যে, মডস জোন-৮ এর ১৩ (তের) টি বিভিন্ন কাজের e-GP প্রক্রিয়ায় আহ্বানকৃত দরপত্রের টেন্ডার নোটিশটি কমপক্ষে ২ টি বহুল প্রচলিত জাতীয় দৈনিক পত্রিকায় (১টি ইংরেজী ও ১টি বাংলা) প্রকাশের কার্যক্রম গ্রহণের জন্য অনুরোধ করা হল।

সংযুক্তিঃ বর্ণনামতে।



অনুপম কুমার মন্ডল

নির্বাহী প্রকৌশলী (চলতি দায়িত্ব)

মডস জোন-৮, ঢাকা ওয়াসা।