

Dhaka Water Supply and Sewerage Authority

Tender Evaluation Report

Procuring Entity : Executive Engineer, MODS Zone-6, Dhaka WASA.

Name of Tender : Emergency Shifting & Re-installation of existing SCADA System to the different DTW's Stations under MODS Zone-6, Dhaka WASA.

Invitation No. : 46.113.410.00.00.A-12.2025-26/12/Zone-6

Date : Date: 24/08/2025

Approving Authority : Chief Engineer, Dhaka WASA.

Submitted By : Tender Evaluation Committee-TEC-8.

Date of Submission : 16/09/2025



  

Table of Contents

Sl. No.	Description	Page #
1.	Cover Page for Tender Evaluation Report	1
2.	Table of Contents	2
3.	Checklists showing the time spent at each stage of procurement pursuant to Rule 8(17) of PPR-08	3
4.	Individual Declaration of Impartiality: pursuant to Rule 8(13)(a) of PPR-08	5
5.	Collective Certification to Follow the Act, the Rules and others: pursuant to Rule 8(13)(b) of PPR-08	6
6.	Tender Evaluation Report	7
7.	Annexure-1 : Preliminary Examination	10
8.	Annexure-2 : Technical Examination and Responsiveness	11
9.	Annexure-3 : Financial Evaluation	12
10.	Annexure-4 : Price comparison	13
11.	Annexure-5 : Post-qualification	14
12.	Annexure-6 : Tender Opening Sheet prepared by the concerned Tender Opening Committee pursuant to Rule 97(4) of PPR-08	15



Ann. 30.3.15

Checklists showing the time spent at each stage of procurement

1.	Name of Tender	Emergency Shifting & Re-installation of existing SCADA System to the different DTW's Stations under MODS Zone-6, Dhaka WASA.
2.	Invitation reference	46.113.410.00.00.123.A-12.2025-26/12/Zone-6, Date: 24/08/2025
3.	Checklists showing the time spent at each stage of procurement Rule 8(17) of PPR-08	Pursuant to Rule 8(17) of PPR-08, Checklists showing the time spent at each stage of procurement shall be attached to the Evaluation Reports. The considerations in Rule 8(17) of PPR-08 are: Checklists stated under Sub-rule (18) showing the time spent at each stage starting from invitation Application, Tender or Proposal shall be attached to the Evaluation Reports by the Evaluation Committee and forwarded to the officer next to whom the Evaluation Report is to be submitted in accordance with the approval process and who will have to similarly fill in the time spent at his stage in the checklists and forward it to the Approving Authority with the Evaluation Report and other necessary Documents.
	Rule 8(18) of PPR-08	The checklists mentioned in Sub-Rule (17) shall be as Part A, Part B and Part C as applicable, of Schedule IV.


4. Following Part A of Schedule IV, Checklists are prepared and presented below:

Procurement Processing and Approval Procedure for Goods or Works

Procuring Entity and Description of Procurement		
1.	Ministry	Local Government, Rural Development and Co-operatives.
	Division	Local Government division.
2.	Agency	Dhaka Water Supply and Sewerage Authority (DWASA).
3.	Procuring Entity	Executive Engineer, MODS Zone-6, Dhaka WASA
4.	Name of the Project	N/A
5.	Source of Funds	Revenue of DWASA.
6.	Brief Description of Works	Emergency Shifting & Re-installation of existing SCADA System to the different DTW's Stations under MODS Zone-6, Dhaka WASA.
7.	Procurement Method	Limited Tendering Method (LTM).

Schedule of Activities				
Sl. No.	Activity (if not applicable indicate N/A)	Planned Date (as per flow chart)	Actual Date	If any delay Indicate No. of days
A	Prequalification : Not Applicable			
B	Tender for Works			
B1	Date of advertisement of Invitation for Tenders	24/08/2025	24/08/2025	
B2	Date of Issue of Tender Document (If different from B1 above)	24/08/2025	24/08/2025	
B3	Date of Pre-Tender meeting	N/A	N/A	
B4	Date of Submission of Tenders	08/09/2025	08/09/2025	
B5	Date of Opening of Tenders (If different from B4)	08/09/2025	08/09/2025	
B6	Date of Submission of Technical Sub-Committee Report, where applicable	N/A	N/A	
B7	Date of submission of Evaluation Report	16/09/2025	16/09/2025	
B8	Date of Approval for Award of Contract			

Checklists showing the time spent at each stage of procurement (Cont.)

Schedule of Activities in PPPAP Process			
Date of Submission of Tender Evaluation Report to the Approving Authority	Planned Date (as per flow chart)	Actual Date	Delay (In days)
Executive Engineer, MODS Zone-6, Dhaka WASA	Forwarded		
Date of Issue of the Notification of Award (NOA) for Works			
Signature of Chairperson of Tender Evaluation Committee-8			
Name and Designation of Chairperson of Tender Evaluation Committee-8	 (Engr. Md. Firoz Alom) Superintending Engineer, MODS Circle-1 and Chairman, TEC-8 Dhaka WASA.		






Am.

সত্যজিৎ

Individual Declaration of Impartiality

1.	Name of Tender	Emergency Shifting & Re-installation of existing SCADA System to the different DTW's Stations under MODS Zone-6, Dhaka WASA.
2.	Invitation reference	46.113.410.00.00.123.A-12.2025-26/12/Zone-6, Date: 24/08/2025
3.	Individual Declaration of Impartiality	Pursuant to Rule 13(a) of PPR-08, each member of the Evaluation Committee shall sign individually a declaration of impartiality. The provisions in Rule 13(a) of PPR-08 are:
	Rule 13 of PPR-08	The each member of the Evaluation Committee shall - (a) sign individually a declaration of impartiality in the following manner - "I (name of the Evaluation Committee member & designation) do hereby declare and confirm that I have no business or other links to any of the competing Tenderers or Applicant";




4. The individual declaration of each member of the Tender Evaluation Committee-8 is given below:

"I, Md. Rahat Shikder, Executive Engineer, MODS Zone-6, Dhaka WASA & Member Secretary, TEC-8, Dhaka WASA do hereby declare and confirm that I have no business or other links to any of the competing Tenderers or Applicant".  16/9/25	"I, Engr. Farzana Naim, Deputy Manager, Database & Monitoring Section, Titas Gas & Member, TEC-8, Dhaka WASA do hereby declare and confirm that I have no business or other links to any of the competing Tenderers or Applicant".  ২৫/০৯/২৫
"I, Md. Ansur Rahman Patwary, Deputy Chief Finance Office, Dhaka WASA & Member TEC-8, Dhaka WASA do hereby declare and confirm that I have no business or other links to any of the competing Tenderers or Applicant".  16.09.25	"I, Fahima Amin, GIS Specialist, GIS Department, Dhaka WASA & Member TEC-8, Dhaka WASA do hereby declare and confirm that I have no business or other links to any of the competing Tenderers or Applicant".
"I, Executive Engineer/ Manager/ Director, PETROBANGLA, & Member TEC-8, Dhaka WASA do hereby declare and confirm that I have no business or other links to any of the competing Tenderers or Applicant".	"I, Executive Engineer, RAJUK, Dhaka, & Member TEC-8, Dhaka WASA do hereby declare and confirm that I have no business or other links to any of the competing Tenderers or Applicant".
	"I, Engr. Md. Firoz Alom, Superintending Engineer, MODS Circle-1, Dhaka WASA & Chairman, Tec-8 do hereby declare and confirm that I have no business or other links to any of the competing Tenderers or Applicant".  ২৫/০৯/২৫

Collective Certification to Follow the Act, the Rules and others

1.	Name of Tender	Emergency Shifting & Re-installation of existing SCADA System to the different DTW's Stations under MODS Zone-6, Dhaka WASA.
2.	Invitation reference	46.113.410.00.00.123.A-12.2025-26/12/Zone-6, Date: 24/08/2025
3.	Collective Certification to Follow the Act, the Rules and others.	Pursuant to Rule 13(b) of PPR-08, each member of the Evaluation Committee shall sign collectively in the Tender or Proposal Evaluation Report by certifying a prescribed statement. The provisions in ITT Clause 13(b) are:
	Rule 13 of PPR-08	The each member of the Evaluation Committee shall - (b) sign collectively in the Tender or Proposal Evaluation Report, by certifying that - "The Evaluation Committee certifies that the examination and evaluation has followed the requirements of the Act, the Rules made there under and the terms and conditions of the prescribed Application, Tender or Proposal Document and that all facts and information have been correctly reflected in the Evaluation Report and, that no substantial or important information has been omitted".


4. The collective certification by the members of the Tender Evaluation Committee- TEC-8 is given below:

"The Evaluation Committee certifies that the examination and evaluation has followed the requirements of the Act, the Rules made thereunder and the terms and conditions of the prescribed Application, Tender or Proposal Document and that all facts and information have been correctly reflected in the Evaluation Report and, that no substantial or important information has been omitted".	
 (Md. Rahat Shikder) Executive Engineer MODS Zone-6, Dhaka WASA & Member- Secretary, TEC-8, Dhaka WASA.	 (Engr. Farzana Naim) Deputy Manager Database & Monitoring Section, Titas Gas & Member, TEC-8, Dhaka WASA.
 (Md. Anisur Rahman Patwary) Deputy Chief Finance Officer, Dhaka WASA and Member, TEC-8, Dhaka WASA	(Fahima Amin) GIS Specialist, GIS Department, Dhaka WASA and Member, TEC-8, Dhaka WASA
(Executive Engineer/Manager/Director) PETROBANGLA and Member, TEC-8, Dhaka WASA	(Executive Engineer) RAJUK, Dhaka & Member TEC-8, Dhaka WASA
	 (Engr. Md. Firoz Alam) Superintending Engineer, MODS Circle-1 and Chairman, TEC-8 Dhaka WASA.

Tender Evaluation Report (LTM PW2b)

A. General Information: (Select the appropriate options in the box shown)		
1.	Procuring Entity Name	Executive Engineer, MODS Zone-6, Dhaka WASA.
2.	Name of Tender	Emergency Shifting & Re-installation of existing SCADA System to the different DTW's Stations under MODS Zone-6, Dhaka WASA.
3.	Invitation for	Tender (1 st Call) for Works in a single Lot.
4.	Invitation reference	46.113.410.00.00.123.A-12.2025-26/12/Zone-6, Date: 24/08/8025
5.	Tendering Method	Limited Tendering Method (LTM)
6.	Tender Document Preparation	Pursuant to Rule 4(1) of PPR-08, Tender Document has been prepared using STD PW2 issued by CPTU.
7.	Official Estimate	Tk. 3,99,000/- (Tk. Three lakh and ninety-nine thousand only).
B. Approval Information:		
8.	Approval of Annual Procurement Plan	☐ Include RAPP. ☐ Approved APP for the FY 2025-2026.
9.	Approval of Tendering Method	☐ Limited Tendering Method (LTM).
10.	Approval of Budget and Source of Funds	☐ Allocation from the Own funds has been approved by the competent authority.
11.	Approval of Official Estimate	In accordance with the Delegation of Financial Powers (DoFP), Official Estimate has been approved by—Chief Engineer, DWASA.
C. Advertisement Information:		
12.	Published in daily Newspaper	Not Applicable in case of Low value Works under LTM.
	Published in website of DWASA	Yes
D. Tender Opening Information:		
13.	Tender opened on	08/09/2025 at 2.00 P.M.
14.	Preparation of Tender Opening Report (TOR)	Pursuant to ITT Clause 26 and Rule 97(4) of PPR-08, the Tender Opening Committee (TOC) opened the Tenders received by the Procuring Entity and prepared Tender Opening Report (TOR).
E. Tender Evaluation Information:		
15.	Tender evaluated on	16/09/2025 at 11:30 A.M
16..	Tender Evaluated by	The Tenders received by Procuring Entity were evaluated by Tender Evaluation Committee-8 (TEC-8) formed vide Memo no. 46.05.0000.212.06.002.24-130, Date:15/05/2025.








Tender Evaluation Report (LTM PW2) (Cont.)

F. Tender Evaluation Procedure:		
17.	Evaluation Procedure	The Tender Evaluation Committee-8 (TEC-8) has examined the Tenders pursuant to ITT Clause 32: Evaluation of Tenders. The considerations in ITT Clause 32 are:
	ITT Clause 32.1	The Tender Evaluation Committee (TEC) may consider a Tender as responsive in the Evaluation, only if it is submitted in compliance with the mandatory requirements set out in the Tender Document. The evaluation process should begin immediately after tender opening following four broad steps: (a) Preliminary examination; (b) Technical examination and responsiveness; (c) Financial evaluation and price comparison; (d) Post-qualification of the lowest evaluated responsive Tender.
18.	Preliminary examination	Pursuant to ITT Clause 33, preliminary examination has been carried out and the details are attached in Annexure-1.
18.1	Observations in preliminary examination stage	• TEC-8 has examined 03 (Three) numbers of Tenders received by the Procuring Entity and opened by the Tender Opening Committee (TOC). • Out of which 03 (Three) numbers of Tenders are being considered as responsive in this stage of examination.
19.	Technical Examination and Responsiveness	Pursuant to ITT Clause 34, technical examination and responsiveness has been carried out and the details are attached in Annexure-2.
19.1	Observations in Technical Examination and Responsiveness stage	• TEC-8 has examined 03 (Three) numbers of Tenders being considered responsive in the preliminary examination stage. • Out of which 03 (Three) numbers of Tenders are being considered as responsive in this stage of examination.
20.	Financial Evaluation	Pursuant to ITT Clause 37, financial evaluation has been carried out and the details are attached in Annexure-3.
20.1	Observations in Financial Evaluation stage	• TEC-8 has evaluated 03 (Three) numbers of Tenders being considered responsive in the Technical examination stage. ☐ Pursuant to Section 19(1)(ka) of the Public Procurement (Amendment) Act 2010, Tenders having quoted price more than 5% less or more than 5% above of the Official Estimate, has been rejected.

Ans. 15/03/20

Tender Evaluation Report (LTM PW2) (Cont.)

21.	Price Comparison	Pursuant to ITT Clause 38, price comparison has been carried out and the details are attached in Annexure-4.
21.1	Observations in Price Comparison stage	- TEC-8 has evaluated 03 (Three) numbers of Tenders being considered responsive in the Financial Evaluation stage. - In this stage of evaluation, the Tenderer 52 International became the lowest Evaluated Responsive Tenderer, the Tender Price of which is Tk. 3,95,500/- (Three lakh ninety-five thousand and five hundred only).
22.	Post-qualification of the Lowest Evaluated Responsive Tender	Pursuant to ITT Clause 40, post-qualification of the lowest Evaluated Responsive Tenderer has been carried out and the details are attached in Annexure-5.
22.1	Observations in post qualification stage	Pursuant to Rule 100 of PPR-03, after analysing/verifying the requirements specified in the Tender Document, TEC-8 determined to its satisfaction that the lowest Evaluated Tenderer 52 International is qualified to perform the Contract satisfactorily.
23	Recommendations	TEC-8 recommends to accept the Tender of 52 International having Tender Price Tk. 3,95,500/- (Three lakh ninety-five thousand and five hundred only) , which is 0.88% Less than the estimated price Tk. 3,99,000.00 (Three lakh and ninety-nine thousand only)
24.	Submission	Submitted to the approving authority.

 (Md. Rahat Shikder) Executive Engineer MODS Zone-6, Dhaka WASA & Member- Secretary, TEC-8, Dhaka WASA.	 (Engr. Farzana Naim) Deputy Manager Database & Monitoring Section, Titas Gas & Member, TEC-8, Dhaka WASA.
 (Md. Anisur Rahman Patwary) Deputy Chief Finance Officer, Dhaka WASA and Member, TEC-8, Dhaka WASA	(Fahima Amin) GIS Specialist, GIS Department, Dhaka WASA and Member, TEC-8, Dhaka WASA
(Executive Engineer/Manager/Director) PETROBANGLA and Member, TEC-8, Dhaka WASA	(Executive Engineer) RAJUK, Dhaka & Member TEC-8, Dhaka WASA
	 (Engr. Md. Firoz Alam) Superintending Engineer, MODS Circle-1 and Chairman, TEC-8 Dhaka WASA.

Preliminary Examination

1.	Name of Tender	Emergency Shifting & Re-installation of existing SCADA System to the different DTW's Stations under MODS Zone-6, Dhaka WASA.
2.	Invitation reference	46.113.410.00.00.123.A-12.2025-26/12/Zone-6, Date: 24/08/2025
3.	Preliminary examination Procedure	Pursuant to ITT Clause 33, preliminary examination has been carried out by TEC-8. The considerations in ITT Clause 33 are:
	ITT Clause 33.1	The TEC shall firstly examine the Tenders to confirm that all documentation requested in ITT Clause 19 has been provided and examine the compliance, adequacy and authenticity of the documentary evidence.
	ITT Clause 33.2	The TEC shall confirm that the above documents and information have been provided in the Tender and the completeness of the documents and compliance of instructions given in corresponding ITT Clauses shall be verified, failing which the tender shall be considered as non-responsive.
4.	Observations	03 (Three) numbers of Tenders has been examined. - The details are presented in the following check list:

5. Check list for Preliminary Examination:

ITT Clause	Clause Description	M/S. Meer Engineering	52 International	M/S. Jaguar Associates
(1)	(2)	(3)	(4)	(5)
33.1	Examination of documents provided:			
19.	Contents of Tender:			
19.1(a)	Tender Submission Letter (Form PW2b-1)	OK	OK	OK
19.1(b)	Tenderer Information (Form PW2b-2)	OK	OK	OK
19.1(c)	Priced Bill of Quantities (BOQ)	OK	OK	OK
19.1(d)	Only enlisted Tenderers of the categories specified in TDS are eligible to participate in the Tender under LTM as stated ITT sub-clause-4.1	Specified in TDS	Specified in TDS	Specified in TDS
	Enlistment in Dhaka WASA	Enlisted	Enlisted	Enlisted
19.1(e)	Valid Trade License	Valid	Valid	Valid
	Valid Tax Identification Number (TIN)	OK	OK	OK
	VAT registration number	OK	OK	OK
19.1(f)	Documentary evidence as stated under ITT Clause 23 establishing the eligibility and Qualification of the Tenderer	Eligible	Eligible	Eligible
19.1(g)	Other documents as specified in TDS:			
	Tender Security in PO	N/A	N/A	N/A
	Signed by the Tenderer himself or duly authorized person	Tenderer himself	Tenderer himself	Tenderer himself
	Written authorization attached	N/A	N/A	N/A
	Original & Copy submitted	Submitted	Submitted	Submitted
33.1	Examination of the completeness of each document submitted :	Verified	Verified	Verified
33.2	Examination of the information and documentary evidence :			
33.2(a)	Tender Submission Letter in Form PW2b-1	Verified	Verified	Verified
33.2(b)	Letter of Enlistment by the specified PE	Verified	Verified	Verified
33.2(c)	Priced Bill of Quantities	Verified	Verified	Verified
33	Completeness of the documents and Responsiveness	Complete and Responsive	Complete and Responsive	Complete and Responsive

Technical Examination and Responsiveness

1.	Name of Tender	Emergency Shifting & Re-installation of existing SCADA System to the different DTW's Stations under MODS Zone-6, Dhaka WASA.
2.	Invitation reference	46.113.410.00.00.123.A-12.2025-26/12/Zone-6, Date: 24/08/2025
3.	Technical examination Procedure	Pursuant to ITT Clause 29, Technical examination has been carried out by TEC-8. The considerations in ITT Clause 29 are:
	ITT Clause 34.1	If a Tender is not responsive to the mandatory requirements set out in the Tender Document, shall not subsequently be made responsive by the Tenderer by correction of the material deviation, reservation, or omission.
	ITT Clause 34.2	There shall be no requirement as to the minimum number of responsive Tenders.
	ITT Clause 34.3	TEC shall examine the adequacy and authenticity of the documentary evidence as stated under ITT Clause 23.
	ITT Clause 34.4	If after the examination, TEC determines that the Tender has complied the terms and conditions and the technical aspects, set out in ITT Sub Clause 34.3, it shall be considered responsive.
4.	Observations	- Tenders surviving preliminary examination has been examined. - The details are presented in the following check list:

5. Check list for Technical Examination:


ITT Clause	Clause Description	M/S. Meer Engineering	52 International	M/S. Jaguar Associates
(1)	(2)	(3)	(4)	(5)
34.1	Acceptance for evaluation in this phase	Accepted	Accepted	Accepted
34.2	No requirement as to the minimum number of responsive Tenders.	Adequate and authentic	Adequate and authentic	Adequate and authentic
34.3	Adequacy and authenticity of the documentary evidence as stated under ITT Clause 23.	OK	OK	OK
23.1(a)	Complete Tender Submission Letter (Form PW2b-1)	Completed	Completed	Completed
23.1(b)	Complete Tenderer Information (Form PW2b-2)	Completed	Completed	Completed
23.1(c)	Minimum liquid assets as stated under ITT Sub Clause 10.1:			
	Min. liquid asset (Tk. 6.00 lakh)	OK	OK	OK
	Verification of adequacy and authenticity	Verified	Verified	Verified
23.1(d)	Qualification and experience as stated under ITT Sub Clause 11.1:			
	Similar Works Experience (...lakh/... yrs)	N/A	N/A	N/A
23.1(e)	Major items of construction equipment proposed to carry out the contract as stated under ITT Sub Clause 12.1:	OK	OK	OK
	Own suitable equipment and others physical access in full working order	OK	OK	OK
23.1(f)	Authority to seek references from the Tenderer's bankers or any sources	OK	OK	OK
35	Clarification on Tender:	OK	OK	OK
35.1	Tenders in order to assist the examination and evaluation of the Tenders.	OK	OK	OK
35.2	If a Tenderer does not provide clarifications of its Tender by the date and time, its Tender shall not be considered in the evaluation.	OK	OK	OK
36	Correction of Arithmetical Errors :			
36.1	TEC shall correct any arithmetic errors that are discovered during the examination of Tenders.	OK	OK	OK
36.2	The rate quoted in word in the priced BOQ shall prevail	OK	OK	OK
34.4	Compliance of the terms and conditions and the technical aspects and Responsiveness	Complied and Responsive	Complied and Responsive	Complied and Responsive

Financial Evaluation

1.	Name of Tender	Emergency Shifting & Re-installation of existing SCADA System to the different DTW's Stations under MODS Zone-6, Dhaka WASA.
2.	Invitation reference	46.113.410.00.00.123.A-12.2025-26/12/Zone-6, Date: 24/08/2025
3.	Financial Evaluation Procedure	Pursuant to ITT Clause 37, Financial Evaluation has been carried out by TEC-8. The considerations in ITT Clause 37 are:
	ITT Clause 37.1	The TEC, pursuant to Rule 98 of the Public Procurement Rule 2008, will evaluate each Tender that has been determined, up to this stage of the evaluation, to be responsive to the mandatory requirements set out in the Tender Document.
	ITT Clause 37.2	To evaluate a Tender, The TEC will consider the Tender price after adjustments for correction of arithmetical errors, as stated under ITT Sub Clause 36
	ITT Clause 37.3	To evaluate the lowest-evaluated lots, The TEC will take into account:
		(a) the lowest-evaluated Tender for each lot;
		(b) the resources sufficient to meet the qualifying criteria for the individual lot or aggregate of the qualifying criteria for the multiple lots;
4.	Observations	- Tenders being considered responsive in the technical examination stage has been evaluated. - The details are presented in the following check list:

5. Check list for Financial Examination:

ITT Clause	Clause Description	M/S. Meer Engineering	52 International	M/S. Jaguar Associates
(1)	(2)	(3)	(4)	(5)
37.1	Acceptance for evaluation in this phase	Accepted	Accepted	Accepted
37.2	Adjustments for correction of arithmetical errors pursuant to ITT clause 36:			
36.1	Arithmetical errors discovered	No	No	No
	Corrected Tender Price (Tk)	N/A	N/A	N/A
	Notification to the Tenderer for correction pursuant to Rule 98(11) of PPR-08	Notified	Notified	Notified
37.3(b)	Tender price as stated under ITT Clause 21:	OK	OK	OK
21.1	Filled in unit rates for all items in BOQ	Filled	Filled	Filled
21.2	Tender price (Tk) as per TSL (Form PW2b-1) (Taka)	4,10,000.00	3,95,500.00	4,05,000.00
21.3	All applicable taxes, CD, VAT and other levies payable by the Contractor shall be included	Included	Included	Included
21.4	The price of a Contract shall be fixed	Fixed	Fixed	Fixed
37.3(b)	Qualifying criteria for the individual lot or aggregate of the qualifying criteria for the multiple lots;	OK	OK	OK
PPA	Pursuant to Section 19(1)(KA) of the Public Procurement (Amendment) Act-2010:			
	Official Estimate (Taka)	3,99,000.00	3,99,000.00	3,99,000.00
	Corrected Tender Price (Taka)	4,10,000.00	3,95,500.00	4,05,000.00
	Percent less or above	2.76% Above	0.88% Less	1.50% Above
	Accepted (within 5% less or above)	Accepted	Accepted	Accepted
	Rejected (more than 5% less or above)	-	-	-
	Responsiveness up to this stage	Responsive	Responsive	Responsive




 

Price Comparison

1.	Name of Tender	Emergency Shifting & Re-installation of existing SCADA System to the different DTW's Stations under MODS Zone-6, Dhaka WASA.
2.	Invitation reference	46.113.410.00.00.123.A-12.2025-26/12/Zone-6, Date: 24/08/2025
3.	Price Comparison Procedure	Pursuant to ITT Clause 38, Price Comparison has been carried out by TEC-8. The considerations in ITT Clause 38 are:
	ITT Clause 38.1	The TEC will compare all responsive Tenders to determine the lowest-evaluated Tender, in accordance with ITT Clause 37.
	ITT Clause 38.2	In the event that there is a tie for the lowest evaluated Tender price, the selection of the successful Tenderers shall be made by open Lottery. A maximum of four (4) number Tenderers in order will be selected during the process of Lottery.
	ITT Clause 39.1	No negotiations shall be held during the Tender evaluation or award with the lowest or any other Tenderer pursuant to Rule 99 of the Public Procurement Rules, 2008.
4.	Observations	- Tenders being responsive in the financial evaluation stage have been compared. - The Official Estimate is Tk. 3,99,000/- (Tk. Three lakh and ninety-nine thousand only) Price comparison is presented in the following table:




5. Price Comparison Table:

Sl. No.	Name of the responsive Tenderer	Tender Price (Tk)	Percent Less	Percent Above	Rank
1.	M/S. Meer Engineering	Tk. 4,10,000.00	-	2.76	3 rd Lowest
2.	52 International	Tk. 3,95,500.00	0.88	-	1 st Lowest
3.	M/S. Jaguar Associates	Tk. 4,05,000.00	-	1.50	2 nd Lowest

 16/9/25 (Md. Rahat Shikder) Executive Engineer MODS Zone-6, Dhaka WASA & Member- Secretary, TEC-8, Dhaka WASA.	 24/08/25 (Engr. Farzana Naim) Deputy Manager Database & Monitoring Section, Titas Gas & Member, TEC-8, Dhaka WASA.
 16.09.25 (Md. Anisur Rahman Patwary) Deputy Chief Finance Officer, Dhaka WASA and Member, TEC-8, Dhaka WASA	(Fahima Amin) GIS Specialist, GIS Department, Dhaka WASA and Member, TEC-8, Dhaka WASA
(Executive Engineer/Manager/Director) PETROBANGLA and Member, TEC-8, Dhaka WASA	(Executive Engineer) RAJUK, Dhaka & Member TEC-8, Dhaka WASA
	 24/08/25 (Engr. Md. Firoz Alom) Superintending Engineer, MODS Circle-1 and Chairman, TEC-8 Dhaka WASA.

Post-qualification

1.	Name of Tender	Emergency Shifting & Re-installation of existing SCADA System to the different DTW's Stations under MODS Zone-6, Dhaka WASA.
2.	Invitation reference	46.113.410.00.00.123.A-12.2025-26/12/Zone-6, Date: 24/08/2025
3.	Post-qualification Procedure	Pursuant to ITT Clause 40, Post-qualification has been carried out by TEC-8. The considerations in ITT Clause 40 are:
	ITT Clause 40.1	The determination on Post-Qualification shall be based upon an examination of the documentary evidence of the Tenderer's eligibility and qualifications submitted by the Tenderer, pursuant to ITT Clause 23, clarifications in accordance with ITT Clause 35 and the qualification criteria indicated in ITT Clause 8, 9,10,11 and 12. Factors not included therein shall not be used in the evaluation of the Tenderer's qualification.
	ITT Clause 40.2	In the event that the successful first ranked Tenderer with lowest evaluated Tender price fails the Post-qualification, the TEC shall make a similar determination for the second ranked Tenderer and so on for the remaining third ranked Tenderer.
4.	Observations	Pursuant to Rule 100 of the PPR-08, the TEC-08 analyzed and verified all the requirements specified in the Tender Document. TEC-8 determined to its satisfaction that the lowest evaluated Tenderer 52 International having Tender Price Tk. 3,95,500.00 (Three lakh ninety-five thousand and five hundred only) only is qualified to perform the contract satisfactorily.

 (Md. Rahat Shikder) Executive Engineer MODS Zone-6, Dhaka WASA & Member- Secretary, TEC-8, Dhaka WASA.	 (Engr. Farzana Naim) Deputy Manager Database & Monitoring Section, Titas Gas & Member, TEC-8, Dhaka WASA.
 (Md. Anisur Rahman Patwary) Deputy Chief Finance Officer, Dhaka WASA and Member, TEC-8, Dhaka WASA	(Fahima Amin) GIS Specialist, GIS Department, Dhaka WASA and Member, TEC-8, Dhaka WASA
(Executive Engineer/Manager/Director) PETROBANGLA and Member, TEC-8, Dhaka WASA	(Executive Engineer) RAJUK, Dhaka & Member TEC-8, Dhaka WASA
 (Engr. Md. Firoz Alam) Superintending Engineer, MODS Circle-1 and Chairman, TEC-8, Dhaka WASA.	