

Sunday, 27 Sep, 2026
15:01:37 BSTLast Login : Sunday, 27 Sep,
2026 12:46:03Welcome, MOHAMMAD NAZRUL ISLAM
| Logout[View All Notifications](#)

Tender Evaluation Report 3 - Financial Evaluation and Price Comparison

Print

Save As PDF

Tender/Proposal Detail

Tender/Proposal ID :	1276204	Invitation Reference No. :	46.113.406.00.00.2025-26.41
Closing Date and Time :	03-Jun-2026 14:00	Opening Date and Time :	03-Jun-2026 14:00
Procuring Entity :	Office of the EE, MODS Zone-2, Dhaka WASA		
Brief :	Supply of Spare Chlorine Cylinder Valve, Line valve connecting tube, Shiphon pipe and related others for CWTP, DWASA.		
Tender/Proposal Status :	Contract Awarded		

[View Notice](#)

Financial Evaluation and Price Comparison

Ministry Name :	Ministry of Local Government, Rural Development and Co-operatives	Division Name :	Local Government Division
Organization/Agency Name :	Dhaka Water Supply and Sewerage Authority (DWASA)	Procuring Entity :	Office of the EE, MODS Zone-2, Dhaka WASA
Tender Package No. and Description :	Nill..... & Supply of Spare Chlorine Cylinder Valve, Line valve connecting tube, Shiphon pipe and related others for CWTP, DWASA.		
Lot No. and Description :	1 & Supply of Spare Chlorine Cylinder Valve, Line valve connecting tube, Shiphon pipe and related others for CWTP, DWASA.		

Procurement Data

Procurement Type	Procurement Method
NCT	Limited Tendering Method

Procurement Plan

Approval Status	Budget Type	Approval Status of Official Estimates
Approved	Own Fund	Approved

Price Evaluation

Evaluation Report Header

Rank	Name of Tenderer	Official Est Cost	Quoted Amount (in BDT)	Deviation Amount	% of Deviation
L1	M/S. Ariv Traders (Winner)	998500.045	861883.897	136616.148	13.683

Evaluation Report Footer

Post Qualification

Name of Tenderer/Consultant	Status
M/S. Ariv Traders	Qualified

The Evaluation Committee certifies that the examination and evaluation has followed the requirements of the Act, the Rules made there under and the terms and conditions of the prescribed Application, Tender or Proposal Document and that all facts and information have been correctly reflected in the Evaluation Report and, that no substantial or important information has been omitted.

TEC Members

TEC Members

Name	M0HAMMAD NAZRUL ISLAM	Md. Sohanur Rahman	Md Shah Alam
Committee Role	Member	Member Secretary	Chairperson
Designation	Executive Engineer (CC)	Assistant Engineer	Superintending Engineer (cc)
PE Office	Office of the EE, MODS Zone-2, Dhaka WASA	Office of the EE, MODS Zone-2, Dhaka WASA	Office of the Superintending Engineer, MODS Circle-2, Dhaka WASA
Signed Tender Evaluation Report 3 On	09 Jun 2026 14:27	09 Jun 2026 14:27	09 Jun 2026 14:28
Comments	okay	signed	ok

[Home](#) | [About e-GP](#) | [Contact Us](#) | [RSS Feed](#) | [Terms and Conditions](#) | [Service Level](#) | [Disclaimer and Privacy Policy](#) | [New Features](#)

Best viewed in 1024 x 768 and above resolution. Browsers Tested & Certified by BPPA: Microsoft Edge 109.x or above and Mozilla Firefox 113.x or above and Google Chrome 109.x or above

Copyright © 2011 Bangladesh Public Procurement Authority (BPPA). All Rights Reserved.

IMED, Ministry of Planning, Government of the People's Republic of Bangladesh

Tender Evaluation Report 2 - Technical Responsiveness Report

Tender/Proposal Detail			
Tender/Proposal ID :	1276204	Invitation Reference No. :	46.113.406.00.00.2025-26.41
Closing Date and Time :	03-Jun-2026 14:00	Opening Date and Time :	03-Jun-2026 14:00
Procuring Entity :	Office of the EE, MODS Zone-2, Dhaka WASA		
Brief :	Supply of Spare Chlorine Cylinder Valve, Line valve connecting tube, Shiphon pipe and related others for CWTP, DWASA.		

Technical Responsiveness Report

Ministry Name :	Ministry of Local Government, Rural Development and Co-operatives	Division Name :	Local Government Division
Organization/Agency Name :	Dhaka Water Supply and Sewerage Authority (DWASA)	Procuring Entity :	Office of the EE, MODS Zone-2, Dhaka WASA
Tender Package No. and Description :	Nill..... & Supply of Spare Chlorine Cylinder Valve, Line valve connecting tube, Shiphon pipe and related others for CWTP, DWASA.		
Lot No. and Description :	1 & Supply of Spare Chlorine Cylinder Valve, Line valve connecting tube, Shiphon pipe and related others for CWTP, DWASA.		

Procurement Data	
Procurement Type	Procurement Method
NCT	Limited Tendering Method

Procurement Plan		
Approval Status	Budget Type	Approval Status of Official Estimates
Approved	Own Fund	Approved

Criteria						
Name of Tenderer/Consultant	Eligibility of Goods	Conformity of the Technical Specifications and other parameters	Tenderer's Qualification	Tenderer's Experience	Evaluation Status	Reason of Evaluation Status
A.K. International	Yes	Yes	Yes	Yes	Technically Responsive	
M/S Al Wasi Enterprise	Yes	Yes	Yes	Yes	Technically Responsive	
M/s M.R Traders	Yes	Yes	Yes	Yes	Technically Responsive	
M/S MADHUMATI ENTERPRISE	Yes	Yes	Yes	No	Technically Non-responsive	View
M/S. Ariv Traders	Yes	Yes	Yes	Yes	Technically Responsive	

Sahiel Builders & Engineers Electric Corporation	Yes	Yes	No	Yes	Technically Non-responsive	View
Shaif Enterprise	Yes	Yes	Yes	No	Technically Non-responsive	View

The Evaluation Committee certifies that the examination and evaluation has followed the requirements of the Act, the Rules made there under and the terms and conditions of the prescribed Application, Tender or Proposal Document and that all facts and information have been correctly reflected in the Evaluation Report and, that no substantial or important information has been omitted.

TEC Members			
TEC Members			
Name	MOHAMMAD NAZRUL ISLAM	Md. Sohanur Rahman	Md Shah Alam
Committee Role	Member	Member Secretary	Chairperson
Designation	Executive Engineer (CC)	Assistant Engineer	Superintending Engineer (cc)
PE Office	Office of the EE, MODS Zone-2, Dhaka WASA	Office of the EE, MODS Zone-2, Dhaka WASA	Office of the Superintending Engineer, MODS Circle-2, Dhaka WASA
Signed Tender Evaluation Report 2 On	07 Jun 2026 21:46	07 Jun 2026 21:47	09 Jun 2026 14:22
Comments	Okay	Signed	ok

Tender Evaluation Report 4 - Final Evaluation Report

Tender/Proposal Detail			
Tender/Proposal ID :	1276204	Invitation Reference No. :	46.113.406.00.00.2025-26.41
Closing Date and Time :	03-Jun-2026 14:00	Opening Date and Time :	03-Jun-2026 14:00
Procuring Entity :	Office of the EE, MODS Zone-2, Dhaka WASA		
Brief :	Supply of Spare Chlorine Cylinder Valve, Line valve connecting tube, Shiphon pipe and related others for CWTP, DWASA.		

Final Evaluation Report

Ministry Name :	Ministry of Local Government, Rural Development and Co-operatives	Division Name :	Local Government Division
Organization/Agency Name :	Dhaka Water Supply and Sewerage Authority (DWASA)	Procuring Entity :	Office of the EE, MODS Zone-2, Dhaka WASA
Tender Package No. and Description :	Nill..... & Supply of Spare Chlorine Cylinder Valve, Line valve connecting tube, Shiphon pipe and related others for CWTP, DWASA.		
Lot No. and Description :	1 & Supply of Spare Chlorine Cylinder Valve, Line valve connecting tube, Shiphon pipe and related others for CWTP, DWASA.		

Procurement Data	
Procurement Type	Procurement Method
NCT	Limited Tendering Method

Procurement Plan		
Approval Status	Budget Type	Approval Status of Official Estimates
Approved	Own Fund	Approved

Name of Tenderer/Consultant Recommended for Award
M/S. Ariv Traders

Post Qualification Report	Clarification on Tenders
View	Clarification on Tender/Proposal has not taken place

Retention Money
As per PCC, The proportion of payments to be retained (%): 10.00
Performance Security
As per TDS, The Performance Security (%): 10.00

TEC Members
TEC Members

Name	MOHAMMAD NAZRUL ISLAM	Md. Sohanur Rahman	Md Shah Alam
Committee Role	Member	Member Secretary	Chairperson
Designation	Executive Engineer (CC)	Assistant Engineer	Superintending Engineer (cc)
PE Office	Office of the EE, MODS Zone-2, Dhaka WASA	Office of the EE, MODS Zone-2, Dhaka WASA	Office of the Superintending Engineer, MODS Circle-2, Dhaka WASA
Signed Tender Evaluation Report 4 On	09 Jun 2026 14:29	09 Jun 2026 14:29	09 Jun 2026 14:28
Comments	okay	signed	ok

Tender Evaluation Report 1 - Eligibility Report

Tender/Proposal Detail			
Tender/Proposal ID :		1276204	Invitation Reference No. : 46.113.406.00.00.2025-26.41
Closing Date and Time :		03-Jun-2026 14:00	Opening Date and Time : 03-Jun-2026 14:00
Procuring Entity :		Office of the EE, MODS Zone-2, Dhaka WASA	
Brief :		Supply of Spare Chlorine Cylinder Valve, Line valve connecting tube, Shiphon pipe and related others for CWTP, DWASA.	

Eligibility Report

Ministry Name :	Ministry of Local Government, Rural Development and Co-operatives	Division Name :	Local Government Division
Organization/Agency Name :	Dhaka Water Supply and Sewerage Authority (DWASA)	Procuring Entity :	Office of the EE, MODS Zone-2, Dhaka WASA
Tender Package No. and Description :	Nill..... & Supply of Spare Chlorine Cylinder Valve, Line valve connecting tube, Shiphon pipe and related others for CWTP, DWASA.		
Lot No. and Description :	1 & Supply of Spare Chlorine Cylinder Valve, Line valve connecting tube, Shiphon pipe and related others for CWTP, DWASA.		

Procurement Data	
Procurement Type	Procurement Method
NCT	Limited Tendering Method

Procurement Plan							
Approval Status	Budget Type					Approval Status of Official Estimates	
Approved	Own Fund					Approved	
Criteria	A.K. International	M/S AI Wasi Enterprise	M/s M.R Traders	M/S MADHUMATI ENTERPRISE	M/S. Ariv Traders	Sahiel Builders & Engineers Electric Corporation	Shaif Enterprise
Tender Validity	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Tender Security	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Subcontractor's Information given or not (If any)	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Tender Contents	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Tenderer Information	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Eligibility Declarations	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Trade license or Equivalent	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Taxation Obligations Documents or Equivalent	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Legal Capacity	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Litigation History	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Solvency	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Country of Origin	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Authorization Letter confirming the signatory of the Tenderer from Organization	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Accepted in preliminary Evaluation	Yes	Yes	Yes	Yes	Yes	Yes	Yes

The Evaluation Committee certifies that the examination and evaluation has followed the requirements of the Act, the Rules made there under and the terms and conditions of the prescribed Application, Tender or Proposal Document and that all facts and information have been correctly reflected in the Evaluation Report and, that no substantial or important information has been omitted.

TEC Members			
TEC Members			
Name	MOHAMMAD NAZRUL ISLAM	Md. Sohanur Rahman	Md Shah Alam
Committee Role	Member	Member Secretary	Chairperson
Designation	Executive Engineer (CC)	Assistant Engineer	Superintending Engineer (cc)
PE Office	Office of the EE, MODS Zone-2, Dhaka WASA	Office of the EE, MODS Zone-2, Dhaka WASA	Office of the Superintending Engineer, MODS Circle-2, Dhaka WASA
Signed Tender Evaluation Report 1 On	07 Jun 2026 21:46	07 Jun 2026 21:45	09 Jun 2026 14:22
Comments	Okay	Signed	ok