

M/s. Vola Enterprise
Priced Bill of Quantities (BOQ)

Unit Rate Basis

Estimate by the Procuring Entity

Item no.	Group	Item Code (if any)	Description of Item	Unit	Quantity	Unit rates or prices (in figures) (BDT)	Unit rates or prices (in words) (BDT)	Amount (in figure) (BDT)	Amount (in words) (BDT)	Select 'YES' to see the Grand Total
1	-	N/A	Washing of painted wall surface with suitable soap or any other detergent	sqm	277.740	36.001	Thirty-Six Point Zero Zero One	9998.917	Nine Thousand Nine Hundred And Ninety-Eight Point Nine One Seven	Yes
2	-	N/A	Interior super premium acrylic emulsion painting (odorless) of approved best quality and colour delivered from authorized local agent of the manufacturer in a sealed container; applying to interior wall and ceiling with surface preparation including cleaning drying, making free from dirt, grease, wax, removing all chalked and scaled materials, fungus, mending good the surface defects using sand paper and necessary scaffolding; applying necessary interior sealer of specified brand on prepared surface; then applying necessary interior putty of specified brand for levelling, spot filling, crack filling and cutting by sand paper/zero water paper, finally applying 2 coats of interior emulsion paint spreading by brush/roller/spray & necessary scaffolding etc. upto desired finishing, elapsing specified time for drying or recoating; all complete in all floors accepted by the Engineer-in-charge.	sqm	243.033	314.001	Three Hundred And Fourteen Point Zero Zero One	76312.605	Seventy-Six Thousand Three Hundred And Twelve Point Six Zero Five	Yes
3	-	N/A	"Supplying of country made glazed vitreous W/H wash basin of any color including pedestal. The sanitary ware shall conform BDS1162:2014. The glaze shall be thoroughly fused to body. The minimum thickness of body at any section shall be 5 mm. When assembled together and when examined from a distance of 60 cm, the outer surface shall not show to the unaided eye, blemishes or defects in excess of those listed in BDS standard. The mean value of water absorption shall not be greater than 0.5% of the ware when dry. When tested with chemical solutions (Acetic acid, Citric acid, Detergent, Hydrochloric acid, Sodium hydroxide, Sodium stearate and Sulfuric acid of various strength) as per BDS1162:2014 procedure, none of the test pieces should suffer any loss of reflectivity on the glaze. There shall be no crazing and no stain on the ware. The materials used for making glaze shall not contain lead compound. In case of certain coloring oxides used for making colored glaze, the lead content, if any, shall not exceed 5 percent of the weight of the glaze materials. Appliances shall be clearly and indelibly marked at a prominent place, visible even after the appliances are installed with the following: a) manufacturer's name and/or registered trademark, b) the number of Bangladesh standard and c) country of origin. Each product shall also be marked with the BSTI Certification Mark. The fixture should be placed in position with heavy type C.I. Brackets, 30 mm dia PVC waste water pipe with brass coupling (not exceeding 750 mm in length), basin waste with chain plug including making holes in walls and floors and fitting with wall, screws and mending good the damages, finishing etc. all complete approved and accepted by the Engineer-in-charge."	each	2.000	10356.001	Ten Thousand Three Hundred And Fifty-Six Point Zero Zero One	20712.002	Twenty Thousand Seven Hundred And Twelve Point Zero Two	Yes
4	-	N/A	Supplying, fitting and fixing of flush valve for water closet on walls or directly over water closet with necessary accessories, making holes wherever required and mending good the damages and fitting, fixing & finishing etc. all complete with all necessary fittings and connections approved and accepted by the Engineer-in-charge. Supplying, fitting and fixing of flush valve for water closet on walls or directly over water closet with necessary accessories, making holes wherever required and mending good the damages and fitting, fixing & finishing etc. all complete with all necessary fittings and connections approved and accepted by the Engineer-in-charge.	each	2.000	24485.001	Twenty-Four Thousand Four Hundred And Eighty-Five Point Zero Zero One	48970.002	Forty-Eight Thousand Nine Hundred And Seventy Point Zero Zero Two	Yes
5	-	N/A	"Supplying, fitting and fixing of double bowl stainless steel sink with sink tray with heavy type C.I or steel brackets, 12 mm dia C.P. chain plug, 40 mm dia C.P. waste, 40mm dia PVC waste pipe with brass coupling (750 mm length) including making hole in walls and floors and mending good the damages, finishing etc. all complete approved and accepted by the Engineer-in-charge. (Malaysia / Singapore / Thailand made or equivalent)."	each	1.000	7390.001	Seven Thousand Three Hundred And Ninety Point Zero Zero One	7390.001	Seven Thousand Three Hundred And Ninety Point Zero Zero One	Yes
6	-	N/A	Picking-up of unserviceable tiles including bonding mortar from floor, walls and dado etc. and removal of debris to a safe distance.	sqm	73.820	61.001	Sixty-One Point Zero Zero One	4503.093	Four Thousand Five Hundred And Three	Yes

7	-	N/A	Supplying, fitting and fixing country made floor tiles complying BDS ISO 13006: 2015, water absorption $\leq 0.5\%$, modulus of rupture (MOR) ≥ 27 N/mm ² , irrespective of color &/or design, with adhesives in full thickness of tiles, filler/tiles grout including cutting, shaping, placing in proper level etc. all complete and accepted by the Engineer in charge. In ground floor	sqm	73.819	2907.001	Two Thousand Nine Hundred And Seven Point Zero Zero One	214591.906	Two Lakh Fourteen Thousand Five Hundred And Ninety-One Point Nine Zero Six	Yes
8	-	N/A	Supplying, fitting and fixing of aluminium sliding window with mosquito mesh as per the U.S. Architectural Aluminium Manufacturer's Association (AAMA) standard specification and BDS 1879:2014 having minimum 1.2 mm thick outer bottom (95.00 mm, 38.00 mm outer bottom, 0.72 kg/m), minimum 1.2 mm thick outer top (95.00 mm, 28.5 mm outer top, 0.75 kg/m), minimum 1.2 mm thick shutter top (size 33 mm, 26.80 mm, 0.42 kg/m), minimum 1.2 mm thick shutter bottom (size 60mm, 24.40 mm, 0.589 kg/m), minimum 1.2 mm thick outer side (95.00 mm, 19.50 mm outer side, 0.591 kg/m), minimum 1.2 mm thick shutter lock (size 49.20 mm 25.80 mm, 0.543 kg/m) and minimum 1.2 mm thick inter lock (size 34.40 mm, 32.13 mm, 0.562 kg/m) sections all aluminium members will be anodized to aluminium bronze/silver/ss/black colour with a coat not less than 15 microns in thickness or powder coated to any colour with a coat not less than 25 microns in thickness and density of 4 mg per square cm etc. including all accessories like sliding door key lock, sliding door wheel, sliding door mohiar, sliding door neoprene, bolts and nuts including sealants, keeping provision for fitting 5 mm thick glass including labour charge for fitting of accessories, making grooves and mending good damages, carriage, and electricity complete in all respect as per drawing and accepted by the Engineer-in-charge.	sqm	6.055	14430.001	Fourteen Thousand Four Hundred And Thirty Point Zero Zero One	87373.656	Eighty-Seven Thousand Three Hundred And Seventy-Three Point Six Five Six	Yes
9	-	N/A	Taking out old unserviceable MS window shutter/grill etc. All completed as per direction of Engineer- in charge.	each	1.000	202.001	Two Hundred And Two Point Zero Zero One	202.001	Two Hundred And Two Point Zero Zero One	Yes
10	-	N/A	Safety net with G.I Wire: Supply, fabrication, installation and taking out temporary horizontal safety net around construction work place where public safety is likely to be endangered due to construction activities; which shall be made of Chain link net with 24 BWG wire fitted at 15'-0" height horizontally of the outer periphery of the building with 75mmx40mmx5mm MS Chanel post and purlin, 20mm MS Rod and 40mmx40mmx6mm MS Angle as ties etc. by standard anchoring and welding, nut-bolts etc. all complete and accepted by the Engineer-in-charge(Salvage materials shall be the contractors property after completion of work.)	sqm	6.060	1515.001	One Thousand Five Hundred And Fifteen Point Zero Zero One	9180.906	Nine Thousand One Hundred And Eighty Point Nine Zero Six	Yes
11	-	N/A	"Supplying, fitting and fixing of best quality pillar cock made from copper or copper alloy, chromium plated materials. The faucet Supplying, fitting and fixing of best quality pillar cock made from copper or copper alloy, chromium plated materials. The faucet conforms BDS EN 200:2009. The faucet tap shall be free from any leakage, permeation and other abnormalities. The water hammer value shall be 1.47 Mpa or under. The faucet after it has been operated 100000 times it shall be free from a seat-leakage and shall satisfy the reverse flow preventing performance. The inside and outside surfaces of the faucet shall be smooth and be free from blowholes, fissures, remarkable flows or injurious defects. The chromium plating on the faucet shall be of class 2 grade 1. The final coating should be done with chromium of minimum 0.1 micron. The faucet shall be made leak proof and fixing in position with selected tape etc. all complete approved and accepted by the Engineer- in- charge."	each	6.000	1540.001	One Thousand Five Hundred And Forty Point Zero Zero One	9240.006	Nine Thousand Two Hundred And Forty Point Zero Zero Six	Yes
12	-	N/A	Supplying, fitting and fixing of LED Light etc complete in all respect accepted by the Engineer-in-charge.	nos	8.000	650.001	Six Hundred And Fifty Point Zero Zero One	5200.008	Five Thousand Two Hundred Point Zero Zero Eight	Yes
13	-	N/A	Supplying, fitting and fixing of Exhaust Fan etc complete in all respect accepted by the Engineer-in-charge.	nos	2.000	1250.001	One Thousand Two Hundred And Fifty Point Zero Zero One	2500.002	Two Thousand Five Hundred Point Zero Zero Two	Yes
							Grand Total:	496175.105	Four Lakh Ninety-Six Thousand One Hundred And Seventy-Five Point One Zero Five	

M/s. Volia Enterprise			
Tenderer's Quoted Price			
Tenderer's Quoted Price			
Total Estimated Cost (BDT)	Percentage (-5% to +5%)	Offered Amount (in figures) (BDT)	Offered Amount (in words) (BDT)
496175.105	-5.000	471366.349	Four Lakh Seventy-One Thousand Three Hundred And Sixty-Six Point Three Four Nine
	Grand Total:	471366.349	Four Lakh Seventy-One Thousand Three Hundred And Sixty-Six Point Three Four Nine

This Tenderer's Quoted Price is Electronically Signed by Mr. Md. Hossain on behalf of M/s. Volia Enterprise