



স্মারক নং: 46.05.0000.509.31.097.23.

Date: 25/04/2024

Tracking No :2024042521645333539

বরাবর,
নির্বাহী প্রকৌশলী
মডস জোন-৫
ঢাকা ওয়াসা।

বিষয়ঃ Repairing, Re-fixing & Raising of manhole at DMA-510 under MODS Zone- 5, DWASA (Fy-2023-24)
কাজের সমাপ্তির FIRST AND FINAL বিল পরিশোধ প্রসঙ্গে।

Contract No : 46.05.0000.509.31.097.23.173
Work Order No : 46.05.0000.509.31.097.23-687

Date : 04/04/2024
Date : 04/04/2024

উপর্যুক্ত বিষয় ও সূত্রের প্রেক্ষিতে জানানো যাচ্ছে যে, Repairing, Re-fixing & Raising of manhole at DMA-510 under MODS Zone- 5, DWASA (Fy-2023-24) কাজটি দায়িত্ব প্রাপ্ত প্রকৌশলীগণের নির্দেশনা অনুযায়ী সুষ্ঠুভাবে গত 28/04/2024 ইং তারিখে 100% সম্পন্ন করেছি। এমতাবস্থায়, উক্ত কাজের অনুকূলে পেমেন্ট ইনভয়েজ গ্রহণ করতঃ TK 3,79,549.000/- (Three Lakhs Seventy-Nine Thousand Five Hundred Forty-Nine Taka Only) প্রদানের প্রয়োজনীয় ব্যবস্থা গ্রহণের জন্য অনুরোধ করছি।

নিবেদক,

25/04/2024 06:51:11 AM
MD.MURAD MAHMUD
Proprietor
M/S.JOYONTI TRADERS



M/S.JOYONTI TRADERS
334/1, Middle pirerbagh, Mirpur, Dhaka-1216
Email: msjoyantitraders@gmail.com
Phone No: 01972809092

Bill Application Information

Name of Cost Center:	MODS Zone-5
Name of Work:	Repairing, Re-fixing & Raising of manhole at DMA-510 under MODS Zone- 5, DWASA (Fy-2023-24)
Tender ID :	922481
Tender Method :	LTM EGP
Name of Firm :	M/S.JOYONTI TRADERS
Contract No :	46.05.0000.509.31.097.23.173
Work Order No :	46.05.0000.509.31.097.23-687
Contract Date :	04/04/2024
Work Order Date :	04/04/2024
Work End Date:	23/04/2024
Estimate Completion Date:	03/05/2024
Work Status :	100%
Mode of Bill :	1st Running Bill
Bill Amount :	3,79,549.000
Cost Center Head Name :	MOHAMMAD TAWHID ELAHI



M/S.JOYONTI TRADERS
334/1, Middle pirerbagh, Mirpur, Dhaka-1216
Email: msjoyantitraders@gmail.com
Phone No: 01972809092

Invoice No : 46.05.0000.509.31.097.23.

Date: 25/04/2024

Payment Invoice

SL	Description	Quantity	Unit	Rate	Total
1	'Excavation in all materials except rock for the construction of main sewer manholes to the full depth and maximum dimensions required by the Specification in the various depth ranges give below. All in accordance With the Technical Specification and standard detail Drawings. The rate include for all necessary de-watering to maintain the excavation in a dry condition at all times. Preparation of the bottom of the excavation materials. a) For Depth not exceeding 1.5m '	56.399	Cum	217.00	12,238.639
2	Clearing and disposing of excavated earth The site by truck or any other means to a place within 30 km radius of the city or town area including loading, uploading at both ends, leveling and dressing the carried earth etc. complete and accepted by the engineer.	56.402	Cum	539.00	30,400.734
3	Erection of Brickwork for the walls of manhole and service pit, at any req. depth all in accordance with the technical specification and standard details drawings the rate to include for the supply of first class bricks, the preparation of sand cement mortar including the supply of all materials and flush pointing to the face of the brickwork wall	22.948	Cum	8,419.00	193,199.235
4	Making Barricading for safety security work place. All works should be done as per direction of the E/C.	49	Each	500.00	24,500.049
5	Plaster work :-Minimum 12mm thick cement plaster (1:4) with fresh cement to wall both inner and outer surface finishing the corner edge including washing of sand cleaning the surface scaffolding and curing at least for 7 days etc all complete.	112.385	Sqm	362.00	40,683.482
6	"Fitting,fixing of cast lion/SMC/RCC Manhole cover to manhole and service pits for the clear access as given below. All in accordance with the Technical Specification and the standard detail drawings, the rate to include for Bitumen painting of the cover and setting in class A Mass concrete (with cement) including the supply of all materials a) 450 mm. Diameter for main sewer Manholes."	12	Nos	801.00	9,612.012
7	"Fitting,fixing of cast lion/SMC/RCC Manhole cover to manhole and service pits for the clear access as given below. All in accordance with the Technical Specification and the standard detail drawings, the rate to include for Bitumen painting of the cover and setting in class A Mass concrete (with cement) including the supply of all materials a) 550 mm. Diameter for main sewer Manholes."	37	Nos	801.00	29,637.037
8	Placing of Mass concrete for the base of service pit & Benching to manhole and serve pit. Including the supply of all materials all in accordance with the technical specification and standard drawings b) Mass concrete (1:2:4) for cover slab & benching of M.II & pit.	6.703	Cum	8,840.00	59,254.527
Total:					3,79,549.000
Deduction 5 % less:					19,976.286
Ground Total (Actual):					3,79,549.429
Ground Total(Round):					3,79,549.000